| 4. A generous friend is helping you upgrade your system by giving you four 4 MB SIMMs, two 8 MB SIMMs, and a 16 MB SIMM. If your motherboard has four SIMM sockets, and two 2 MB SIMMs are already installed, what is the maximum memory configuration you can install? What combination of SIMMs would you use? |
|--|
| 24 MB? |
| 5. If it takes one-tenth of a second to blink your eye, and an activity in RAM takes one nanosecond (one-billionth of a second), then how many times can the activity in RAM take place in the time that it takes you to blink your eye? |
| 100/2.000 |
| 6. One SIMM is rated at 60 ns, and another is rated at 90 ns. Which one of the two is the fastest? |
| 60 ma |
| 7. The program is permanently stored in ROM. |
| a. AUTOEXEC.BAT © BIOS c. CONFIG.SYS d. COMMAND.COM |
| 8. What are the two parts of the bus? How do they differ in function? whereal 7 |
| 9. At any given instant, component(s) can use a bus to transport data. |
| a. one b. two c. four d. eight |
| 10. Describe the difference between the ISA and EISA bus architectures. |
| The ISA has 16 lines, EISA has 32. |
| 11. Can an ISA card be used in an EISA slot? Can an EISA card be used in an ISA slot? |
| <u>Yes</u> |
| |
| 12. Describe how the PCI bus structure differs from both ISA and EISA. |