

POOLING 1 selz

remote ID - 20 prvo term
 site ID - 1-8 term
 device ID - dodatni device (COP, TCS)

SYN SOH RID SID DID

STATUS POLL WITHOUT ACKNOWLEDGE*
 SOH R/G S/G D/G ENQ ETX BCC

- di je haj se mene

STATUS POLL WITH ACKNOWLEDGE*
 SOH R/G S/G D/G DLE 1 ENQ ETX BCC

TRAFFIC POLL WITHOUT ACKNOWLEDGE*
 SOH R/G S/G D/G ETX BCC

- dej mi date

TRAFFIC POLL WITH ACKNOWLEDGE*
 SOH R/G S/G D/G DLE 1 ETX BCC

TEXT
 SOH RID SID DID STX TEXT ETX BCC

PROCESSOR MESSAGE WAITING
 SOH RID SID DID BEL STX ETX BCC

RETRANSMISSION REQUEST
 SOH RID SID DID DLE NAK ETX BCC

BREAK - RESUME *EMBNSG counter*
 ...XXX DLE [SOH COMPLETE FORMAT BCC DLE] XXX₁

URGENT PROCESSOR MESSAGE (OVERRIDE TERMINAL ACTIVITY)
 SOH RID SID DID NUL NUL NUL STX NUL NUL NUL HT NUL NUL NUL STX TEXT ETX BCC

20 ms**

10 ms**

20 ms**

(Terminates auxiliary interface activity)

(Suppresses transmit)

*In these message formats, R/G indicates RID or GID, S/G indicates SID or GID, and D/G indicates DID or GID.

**These times are for the UNISCOPE 100 terminal; they are doubled for the UNISCOPE 200 terminal.

PROCESSOR → TERMINAL