

RSX-11M V3.2
 UTILITIES
 BRU

Seq 5.1.17.12 M

2 of 2

```

      .IDENT /01.2/
      .PSECT
      .MCALL DIR$
    .BLK,=.
    .=.BLK,+1662

      CALL PAT1
      NOP
    .=.BLK.
      .PSECT $$PAT
    $$PAT=.

PAT1:  MOV     #SLAB,R1          ; PUT BLANKS INTO THE LABEL FIELD
        MOV     #" ,(R1)+
        MOV     #" ,(R1)+
        MOV     #" ,(R1)
        DIR$   #GETASK        ; OBTAIN THE UIC WE ARE RUNNING UNDER
        RETURN
        .END
  
```

Assemble BRUPAR.PAT to create BRUPAR.POB

```

>SET /UIC=[74,40]
>MAC BRUPAR.POB,BRUPAR=BRUPAR.PAT
  
```

Extract BRUPAR.OBJ from [1,20]BRU.OLB, apply the patch, assign TK:
 to your target task build disk, and build BRU:

```

>LBR BRUPAR.OBJ;1=[1,20]BRU/EX:BRUPAR
>PAT BRUPAR.OBJ;2=BRUPAR.OBJ;1/CS:63056,BRUPAR.POB/CS:17051
>SET /UIC=[1,20]
>LBR BRU/RP=[74,40]BRUPAR.OBJ;2
>ASN ddn:=TK:
>TKR @[1,24]BRUPLD
  
```